

Building for
35+
YEARS




ECOStair RANGE

SIMPLE TO ORDER / DELIVERED FAST / EASY TO INSTALL

advantageindustries.com.au





ECOStair

R A N G E

The Smart Stair Solution for Residential Sheds


EcoStair is our light-duty, bolt-together steel staircase kit designed **specifically for internal use** in residential sheds and studios, including those on lifestyle blocks. It's ideal for projects where crane access is limited or site conditions are tight, allowing for easy in-situ assembly by just two people.

Built from DuraGal steel, **EcoStair** offers a cost-effective yet reliable solution without compromising on strength or style. Every kit includes all required parts and fixings, along with a detailed step-by-step instruction booklet and a list of necessary tools. Thanks to our precision-cut bolt-together design, no on-site welding is required—making **EcoStair** very DIY friendly.


Each **EcoStair** kit is manufactured to the exact finished floor height of the customer's mezzanine.

Mezzanine Fixing Options


**Fixing to
Cee Purlin**
(Flat Side)




**Fixing to
Cee Purlin**
(Open Side)



**Fixing to
Zed Purlin**



**Fixing to
Zed Purlin**



EcoStair - Kit A

EcoStair - Stair only

- 1.5mm DuraGal Steel
- Folded Stringers
- Perforated Treads
- 1000mm Wide
- Up to 3400mm high
- Bolt Together Kit
- Fasteners Included
- No Welding Required



Bolt
Together



Easy to
Install



No Welding or
Special Tools




DuraGal
Finish




Delivered
Australia Wide





Staircase Length

Mezzanine Height	Number of Treads	Staircase Length
Up to 2080mm	10	2530mm
Up to 2280mm	11	2780mm
Up to 2460mm	12	3030mm
Up to 2650mm	13	3280mm
Up to 2840mm	14	3530mm
Up to 3030mm	15	3780mm
Up to 3220mm	16	4030mm
Up to 3400mm	17	4280mm



Staircase and Opening Width

Tread Width	Overall Width (A)	Mezzanine Opening (B)
1000mm	1030mm	1040mm

Optional Nosings



EcoStair - Kit B

EcoStair with Balustrade One Side

- 1.5mm DuraGal Steel
- Folded Stringers
- Perforated Treads
- 1000mm Wide
- Up to 3400mm high
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Balustrade One Side (Can be installed on either side)
- 12mm Rods Ensuring No Gaps Greater than 125mm



*Balustrade can be installed on either side.



Bolt
Together



Easy to
Install




No Welding or
Special Tools



DuraGal
Finish




Delivered
Australia Wide



Staircase Length

Mezzanine Height	Number of Treads	Staircase Length
Up to 2080mm	10	2530mm
Up to 2280mm	11	2780mm
Up to 2460mm	12	3030mm
Up to 2650mm	13	3280mm
Up to 2840mm	14	3530mm
Up to 3030mm	15	3780mm
Up to 3220mm	16	4030mm
Up to 3400mm	17	4280mm



Staircase and Opening Width

Tread Width	Overall Width (A)	Mezzanine Opening (B)
1000mm	1080mm	1150mm

Optional Nosings



EcoStair - Kit C

EcoStair with Balustrade Both Sides

- 1.5mm DuraGal Steel
- Folded Stringers
- Perforated Treads
- 1000mm Wide
- Up to 3400mm high
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Balustrade Both Sides
- 12mm Rods Ensuring No Gaps Greater than 125mm



Bolt
Together



Easy to
Install



No Welding or
Special Tools




DuraGal
Finish




Delivered
Australia Wide





Staircase Length

Mezzanine Height	Number of Treads	Staircase Length
Up to 2080mm	10	2530mm
Up to 2280mm	11	2780mm
Up to 2460mm	12	3030mm
Up to 2650mm	13	3280mm
Up to 2840mm	14	3530mm
Up to 3030mm	15	3780mm
Up to 3220mm	16	4030mm
Up to 3400mm	17	4280mm



Staircase and Opening Width

Tread Width (A)	Overall Width (B)	Mezzanine Opening (C)
1000mm	1130mm	1250mm

Optional Nosings



EcoStair - Kit D

EcoStair with Rails One Side

- 1.5mm DuraGal Steel
- Folded Stringers
- Perforated Treads
- 1000mm Wide
- Up to 3400mm high
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Rails One Side (Can be installed either side)


 Bolt
Together


 Easy to
Install

 No Welding or
Special Tools

 DuraGal
Finish


 Delivered
Australia Wide


*Rails can be installed on either side.



Staircase Length

Mezzanine Height	Number of Treads	Staircase Length
Up to 2080mm	10	2530mm
Up to 2280mm	11	2780mm
Up to 2460mm	12	3030mm
Up to 2650mm	13	3280mm
Up to 2840mm	14	3530mm
Up to 3030mm	15	3780mm
Up to 3220mm	16	4030mm
Up to 3400mm	17	4280mm



Staircase and Opening Width

Tread Width	Overall Width (A)	Mezzanine Opening (B)
1000mm	1080mm	1150mm

Optional Nosings



EcoStair - Kit E

EcoStair with Rails Both Sides

- 1.5mm DuraGal Steel
- Folded Stringers
- Perforated Treads
- 1000mm Wide
- Up to 3400mm high
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Rails Both Sides



Bolt
Together



Easy to
Install



No Welding or
Special Tools




DuraGal
Finish




Delivered
Australia Wide





Staircase Length

Mezzanine Height	Number of Treads	Staircase Length
Up to 2080mm	10	2530mm
Up to 2280mm	11	2780mm
Up to 2460mm	12	3030mm
Up to 2650mm	13	3280mm
Up to 2840mm	14	3530mm
Up to 3030mm	15	3780mm
Up to 3220mm	16	4030mm
Up to 3400mm	17	4280mm



Staircase and Opening Width

Tread Width (A)	Overall Width (B)	Mezzanine Opening (C)
1000mm	1130mm	1250mm

Optional Nosings



EcoStair - Kit F

EcoStair with Landing

- 1.5mm DuraGal Steel
- Folded Stringers
- Perforated Treads
- 1000mm Wide
- Up to 3400mm high
- Bolt Together Kit
- Fasteners Included
- No Welding Required

Note: Customer to run mezzanine flooring over landing.



Bolt
Together



Easy to
Install





No Welding or
Special Tools



DuraGal
Finish



Delivered
Australia Wide



Staircase and Opening Width

Tread Width	Overall Width (A)	(B)
1000mm	1030mm	1040mm

Staircase Length

Mezzanine Height	Number of Treads	Staircase Length	Overall Length
Up to 2080mm	10	2530mm	3550mm
Up to 2280mm	11	2780mm	3800mm
Up to 2460mm	12	3030mm	4050mm
Up to 2650mm	13	3280mm	4300mm
Up to 2840mm	14	3530mm	4550mm
Up to 3030mm	15	3780mm	4800mm
Up to 3220mm	16	4030mm	5050mm
Up to 3400mm	17	4280mm	5300mm

Optional Nosings



EcoStair - Kit G

EcoStair with Landing and Balustrade One Side

- 1.5mm DuraGal Steel
- Folded Stringers
- Perforated Treads
- 1000mm Wide
- Up to 3400mm high
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Balustrade One Side (Can be installed on either side)
- 12mm Rods Ensuring No Gaps Greater than 125mm

Note: Customer to run mezzanine flooring over landing.



*Balustrade can be installed on either side.



Bolt
Together



Easy to
Install




No Welding or
Special Tools



DuraGal
Finish




Delivered
Australia Wide



Staircase Length

Mezzanine Height	Number of Treads	Staircase Length	Overall Length
Up to 2080mm	10	2530mm	3612mm
Up to 2280mm	11	2780mm	3862mm
Up to 2460mm	12	3030mm	4112mm
Up to 2650mm	13	3280mm	4362mm
Up to 2840mm	14	3530mm	4612mm
Up to 3030mm	15	3780mm	4862mm
Up to 3220mm	16	4030mm	5112mm
Up to 3400mm	17	4280mm	5362mm



Staircase and Opening Width

Tread Width	Overall Width (A)	(B)	(C)
1000mm	1080mm	1150mm	Overall Length + 60mm

Optional Nosings



EcoStair - Kit H

EcoStair with Landing and Balustrade Both Sides

- 1.5mm DuraGal Steel
- Folded Stringers
- Perforated Treads
- 1000mm Wide
- Up to 3400mm high
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Balustrade Both Sides
- 12mm Rods Ensuring No Gaps Greater than 125mm

Note: Customer to run mezzanine flooring over landing.



Bolt
Together



Easy to
Install




No Welding or
Special Tools



DuraGal
Finish




Delivered
Australia Wide



Staircase Length

Mezzanine Height	Number of Treads	Staircase Length	Overall Length
Up to 2080mm	10	2530mm	3842mm
Up to 2280mm	11	2780mm	4092mm
Up to 2460mm	12	3030mm	4342mm
Up to 2650mm	13	3280mm	4592mm
Up to 2840mm	14	3530mm	4842mm
Up to 3030mm	15	3780mm	5092mm
Up to 3220mm	16	4030mm	5342mm
Up to 3400mm	17	4280mm	5592mm



Staircase and Opening Width

Tread Width (A)	Overall Width (B)	(C)	(D)
1000mm	1190mm	1250mm	Overall Length + 60mm

Optional Nosings



EcoStair - Kit J

EcoStair with Landing and Rails One Side

- 1.5mm DuraGal Steel
- Folded Stringers
- Perforated Treads
- 1000mm Wide
- Up to 3400mm high
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Rails One Side (Can be installed on either side)

Note: Customer to run mezzanine flooring over landing.



*Rails can be installed on either side.



Bolt
Together



Easy to
Install




No Welding or
Special Tools



DuraGal
Finish




Delivered
Australia Wide



Staircase Length

Mezzanine Height	Number of Treads	Staircase Length	Overall Length
Up to 2080mm	10	2530mm	3612mm
Up to 2280mm	11	2780mm	3862mm
Up to 2460mm	12	3030mm	4112mm
Up to 2650mm	13	3280mm	4362mm
Up to 2840mm	14	3530mm	4612mm
Up to 3030mm	15	3780mm	4862mm
Up to 3220mm	16	4030mm	5112mm
Up to 3400mm	17	4280mm	5362mm



Staircase and Opening Width

Tread Width	Overall Width (A)	(B)	(C)
1000mm	1080mm	1150mm	Overall Length + 60mm

Optional Nosings



EcoStair - Kit K

EcoStair with Landing and Rails Both Sides

- 1.5mm DuraGal Steel
- Folded Stringers
- Perforated Treads
- 1000mm Wide
- Up to 3400mm high
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Rails Both Sides

Note: Customer to run mezzanine flooring over landing.



Bolt
Together



Easy to
Install




No Welding or
Special Tools



DuraGal
Finish




Delivered
Australia Wide



Staircase Length

Mezzanine Height	Number of Treads	Staircase Length	Overall Length
Up to 2080mm	10	2530mm	3842mm
Up to 2280mm	11	2780mm	4092mm
Up to 2460mm	12	3030mm	4342mm
Up to 2650mm	13	3280mm	4592mm
Up to 2840mm	14	3530mm	4842mm
Up to 3030mm	15	3780mm	5092mm
Up to 3220mm	16	4030mm	5342mm
Up to 3400mm	17	4280mm	5592mm



Staircase and Opening Width

Tread Width (A)	Overall Width (B)	(C)	(D)
1000mm	1190mm	1250mm	Overall Length + 60mm

Optional Nosings



ECOStair

RANGE



1800 989 140

86 Yass Road, Queanbeyan East NSW 2620
sales@advantageindustries.com.au

advantageindustries.com.au

SIMPLE TO ORDER / DELIVERED FAST / EASY TO INSTALL