

Building for  
**35+**  
YEARS



**ADVANTAGE**  
INDUSTRIES

*Simple, Fast, Easy*

**EASYStair**  
RANGE

SIMPLE TO ORDER / DELIVERED FAST / EASY TO INSTALL

[advantageindustries.com.au](http://advantageindustries.com.au)

**BOLT TOGETHER STAIR KITS**  
DESIGNED FOR

**INDUSTRIAL SHEDS**


**FARM SHEDS**

**WORKSHOPS**

**OUTDOOR USE**







# EASYStair

RANGE

## Built for Access. Designed for Toughness.


**EasyStair** is a heavy-duty, bolt-together steel staircase kit for demanding sites. Supplied flat-packed, **it's ideal for factories, workshops, farm sheds, machinery bays, and access to site offices or containers** – anywhere you need safe, permanent access but crane lifts are limited. Each kit can be carried in by hand and assembled in place by two people, with no heavy lifting equipment required.

Manufactured in Australia, **EasyStair** is built to handle hard daily use, harsh weather, and dirty site conditions. It's a strong, durable, and cost-effective alternative to fully welded stairs, suited to industrial, commercial, and agricultural projects where reliability comes first.


Every kit includes all parts, fixings, and a step-by-step instruction booklet with a list of required tools. Our CNC plasma-cut, bolt-together design means every hole lines up precisely – **no measuring, drilling, or on-site welding**. The result is a faster, safer install, whether done by your own team or your preferred contractor.

## Mezzanine Fixing Options


**Fixing to  
Cee Purlin**




**Fixing to  
Cee Purlin**



**Top Attachment  
(Detail)**



**Fixing to  
Floor**



## EasyStair - Kit A

### EasyStair - Stair only

- 6mm Flat Plate Stringers
- 3mm Checker Plate Treads
- 600-1190mm Wide Treads
- Up to 3400mm High
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Hot Dipped Galvanized
- Untreated or Powder Coated Kits Available



Bolt  
Together



Easy to  
Install




No Welding or  
Special Tools



Hot Dipped  
Galvanized




Delivered  
Australia Wide




### FINISH OPTIONS



Galvanized




Powder Coated



## Staircase Length

Mezzanine Height	Number of Treads	Staircase Length
Up to 2080mm	10	2530mm
Up to 2280mm	11	2780mm
Up to 2460mm	12	3030mm
Up to 2650mm	13	3280mm
Up to 2840mm	14	3530mm
Up to 3030mm	15	3780mm
Up to 3220mm	16	4030mm
Up to 3400mm	17	4280mm



## Staircase and Opening Width

Tread Width (A)	Overall Width (B)	Mezzanine Opening (C)
600mm	640mm	650mm
700mm	740mm	750mm
800mm	840mm	850mm
900mm	940mm	950mm
1000mm	1040mm	1050mm
1100mm	1140mm	1150mm
1190mm	1230mm	1240mm

## Optional Nosings



## EasyStair - Kit B

### EasyStair with Balustrade One Side

- 6mm Flat Plate Stringers
- 3mm Checker Plate Treads
- 600-1190mm Wide Treads
- Up to 3400mm High
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Balustrade One Side (can be installed on either side)
- 12mm Rods Ensuring No Gaps Greater than 125mm
- Hot Dipped Galvanized
- Untreated or Powder Coated Kits Available



Bolt  
Together



Easy to  
Install



No Welding or  
Special Tools



Hot Dipped  
Galvanized



Delivered  
Australia Wide




\*Balustrade can be  
installed on either side.

### FINISH OPTIONS




Galvanized




Powder Coated





### Staircase Length

Mezzanine Height	Number of Treads	Staircase Length
Up to 2080mm	10	2530mm
Up to 2280mm	11	2780mm
Up to 2460mm	12	3030mm
Up to 2650mm	13	3280mm
Up to 2840mm	14	3530mm
Up to 3030mm	15	3780mm
Up to 3220mm	16	4030mm
Up to 3400mm	17	4280mm



### Staircase and Opening Width

Tread Width (A)	Overall Width (B)	Mezzanine Opening (C)
600mm	690mm	750mm
700mm	790mm	850mm
800mm	890mm	950mm
900mm	990mm	1050mm
1000mm	1090mm	1150mm
1100mm	1190mm	1250mm
1190mm	1280mm	1340mm

### Optional Nosings



## EasyStair - Kit C

### EasyStair with Balustrade Both Sides

- 6mm Flat Plate Stringers
- 3mm Checker Plate Treads
- 600-1190mm Wide Treads
- Up to 3400mm High
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Balustrade Both Sides
- 12mm Rods Ensuring No Gaps Greater than 125mm
- Hot Dipped Galvanized
- Untreated or Powder Coated Kits Available



Bolt  
Together



Easy to  
Install



No Welding or  
Special Tools



Hot Dipped  
Galvanized




Delivered  
Australia Wide



### FINISH OPTIONS




Galvanized




Powder Coated





### Staircase Length

Mezzanine Height	Number of Treads	Staircase Length
Up to 2080mm	10	2530mm
Up to 2280mm	11	2780mm
Up to 2460mm	12	3030mm
Up to 2650mm	13	3280mm
Up to 2840mm	14	3530mm
Up to 3030mm	15	3780mm
Up to 3220mm	16	4030mm
Up to 3400mm	17	4280mm



### Staircase and Opening Width

Tread Width (A)	Overall Width (B)	Mezzanine Opening (C)
600mm	740mm	850mm
700mm	840mm	950mm
800mm	940mm	1050mm
900mm	1040mm	1150mm
1000mm	1140mm	1250mm
1100mm	1240mm	1350mm
1190mm	1330mm	1440mm

### Optional Nosings



## EasyStair - Kit D

### EasyStair with Rails One Side

- 6mm Flat Plate Stringers
- 3mm Checker Plate Treads
- 600-1190mm Wide Treads
- Up to 3400mm High
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Rails One Side (can be installed on either side)
- Hot Dipped Galvanized
- Untreated or Powder Coated Kits Available



\*Rails can be installed on either side.



Bolt Together



Easy to Install



No Welding or Special Tools





Hot Dipped Galvanized



Delivered Australia Wide


### FINISH OPTIONS





### Staircase Length

Mezzanine Height	Number of Treads	Staircase Length
Up to 2080mm	10	2530mm
Up to 2280mm	11	2780mm
Up to 2460mm	12	3030mm
Up to 2650mm	13	3280mm
Up to 2840mm	14	3530mm
Up to 3030mm	15	3780mm
Up to 3220mm	16	4030mm
Up to 3400mm	17	4280mm



### Staircase and Opening Width

Tread Width (A)	Overall Width (B)	Mezzanine Opening (C)
600mm	690mm	750mm
700mm	790mm	850mm
800mm	890mm	950mm
900mm	990mm	1050mm
1000mm	1090mm	1150mm
1100mm	1190mm	1250mm
1190mm	1280mm	1340mm

### Optional Nosings






## EasyStair - Kit E

### EasyStair with Rails Both Sides

- 6mm Flat Plate Stringers
- 3mm Checker Plate Treads
- 600-1190mm Wide Treads
- Up to 3400mm High
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Rails Both Sides
- Hot Dipped Galvanized
- Untreated or Powder Coated Kits Available



#### FINISH OPTIONS



Bolt  
Together



Easy to  
Install




No Welding or  
Special Tools



Hot Dipped  
Galvanized




Delivered  
Australia Wide



### Staircase Length

Mezzanine Height	Number of Treads	Staircase Length
Up to 2080mm	10	2530mm
Up to 2280mm	11	2780mm
Up to 2460mm	12	3030mm
Up to 2650mm	13	3280mm
Up to 2840mm	14	3530mm
Up to 3030mm	15	3780mm
Up to 3220mm	16	4030mm
Up to 3400mm	17	4280mm



### Staircase and Opening Width

Tread Width (A)	Overall Width (B)	Mezzanine Opening (C)
600mm	740mm	850mm
700mm	840mm	950mm
800mm	940mm	1050mm
900mm	1040mm	1150mm
1000mm	1140mm	1250mm
1100mm	1240mm	1350mm
1190mm	1330mm	1440mm


### Optional Nosings



## EasyStair - Kit F

### EasyStair with Landing

- 6mm Flat Plate Stringers
- 3mm Checker Plate Treads
- 600-1190mm Wide Treads
- Up to 3400mm High
- Landing with Checker Plate Top
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Hot Dipped Galvanized
- Untreated or Powder Coated Kits Available



Bolt  
Together



Easy to  
Install



No Welding or  
Special Tools



Hot Dipped  
Galvanized




Delivered  
Australia Wide

### FINISH OPTIONS




Galvanized




Powder Coated





## Staircase Length

Mezzanine Height	Number of Treads	Staircase Length	Overall Length
Up to 2080mm	10	2530mm	Staircase Length + Landing Length
Up to 2280mm	11	2780mm	
Up to 2460mm	12	3030mm	
Up to 2650mm	13	3280mm	
Up to 2840mm	14	3530mm	
Up to 3030mm	15	3780mm	
Up to 3220mm	16	4030mm	
Up to 3400mm	17	4280mm	



## Staircase and Opening Width

Tread Width (A)	Overall Width (B)	Landing Length (C)	(D)	(E)
600mm	640mm	1000mm	650mm	Overall Length + 60mm
700mm	740mm	1000mm	750mm	
800mm	840mm	1000mm	850mm	
900mm	940mm	1000mm	950mm	
1000mm	1040mm	1000mm	1050mm	
1100mm	1140mm	1250mm	1150mm	
1190mm	1230mm	1250mm	1240mm	


## Optional Nosings



## EasyStair - Kit G


### EasyStair with Landing and Balustrade One Side

- 6mm Flat Plate Stringers
- 3mm Checker Plate Treads
- 600-1190mm Wide Treads
- Up to 3400mm High
- Landing with Checker Plate Top
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Balustrade One Side (can be installed on either side)
- 12mm Rods Ensuring No Gaps Greater than 125mm
- Hot Dipped Galvanized
- Untreated or Powder Coated Kits Available



\*Balustrade can be installed on either side.

#### FINISH OPTIONS



Bolt Together



Easy to Install




No Welding or Special Tools



Hot Dipped Galvanized




Delivered Australia Wide



## Staircase Length


Mezzanine Height	Number of Treads	Staircase Length	Overall Length
Up to 2080mm	10	2530mm	Staircase Length + Landing Length + 70mm
Up to 2280mm	11	2780mm	
Up to 2460mm	12	3030mm	
Up to 2650mm	13	3280mm	
Up to 2840mm	14	3530mm	
Up to 3030mm	15	3780mm	
Up to 3220mm	16	4030mm	
Up to 3400mm	17	4280mm	



## Staircase and Opening Width

Tread Width (A)	Overall Width (B)	Landing Length (C)	(D)	(E)
600mm	700mm	1000mm	750mm	Overall Length + 60mm
700mm	800mm	1000mm	850mm	
800mm	900mm	1000mm	950mm	
900mm	1000mm	1000mm	1050mm	
1000mm	1100mm	1000mm	1150mm	
1100mm	1200mm	1250mm	1250mm	
1190mm	1290mm	1250mm	1340mm	

## Optional Nosings





## EasyStair - Kit H

### EasyStair with Landing and Balustrade Both Sides

- 6mm Flat Plate Stringers
- 3mm Checker Plate Treads
- 600-1190mm Wide Treads
- Up to 3400mm High
- Landing with Checker Plate Top
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Balustrade Both Sides
- 12mm Rods Ensuring No Gaps Greater than 125mm
- Hot Dipped Galvanized
- Untreated or Powder Coated Kits Available



Bolt  
Together



Easy to  
Install



No Welding or  
Special Tools






Hot Dipped  
Galvanized



Delivered  
Australia Wide

### FINISH OPTIONS





## Staircase Length

Mezzanine Height	Number of Treads	Staircase Length	Overall Length
Up to 2080mm	10	2530mm	Staircase Length + Landing Length + 70mm
Up to 2280mm	11	2780mm	
Up to 2460mm	12	3030mm	
Up to 2650mm	13	3280mm	
Up to 2840mm	14	3530mm	
Up to 3030mm	15	3780mm	
Up to 3220mm	16	4030mm	
Up to 3400mm	17	4280mm	

## Staircase and Opening Width

Tread Width (A)	Overall Width (B)	Landing Length (C)	(D)	(E)
600mm	800mm	1000mm	850mm	Overall Length + 60mm
700mm	900mm	1000mm	950mm	
800mm	1000mm	1000mm	1050mm	
900mm	1100mm	1250mm	1150mm	
1000mm	1200mm	1250mm	1250mm	
1100mm	1300mm	1250mm	1350mm	
1190mm	1390mm	1500mm	1440mm	

## Optional Nosings



## EasyStair - Kit J


### EasyStair with Landing and Rails One Side

- 6mm Flat Plate Stringers
- 3mm Checker Plate Treads
- 600-1190mm Wide Treads
- Up to 3400mm High
- Landing with Checker Plate Top
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Rails One Side (can be installed on either side)
- Hot Dipped Galvanized
- Untreated or Powder Coated Kits Available



\*Rails can be installed on either side.

### FINISH OPTIONS



Bolt Together



Easy to Install



No Welding or Special Tools




Hot Dipped Galvanized




Delivered Australia Wide





### Staircase Length

Mezzanine Height	Number of Treads	Staircase Length	Overall Length
Up to 2080mm	10	2530mm	Staircase Length + Landing Length + 70mm
Up to 2280mm	11	2780mm	
Up to 2460mm	12	3030mm	
Up to 2650mm	13	3280mm	
Up to 2840mm	14	3530mm	
Up to 3030mm	15	3780mm	
Up to 3220mm	16	4030mm	
Up to 3400mm	17	4280mm	



### Staircase and Opening Width

Tread Width (A)	Overall Width (B)	Landing Length (C)	(D)	(E)
600mm	700mm	1000mm	750mm	Overall Length + 60mm
700mm	800mm	1000mm	850mm	
800mm	900mm	1000mm	950mm	
900mm	1000mm	1000mm	1050mm	
1000mm	1100mm	1000mm	1150mm	
1100mm	1200mm	1250mm	1250mm	
1190mm	1290mm	1250mm	1340mm	

### Optional Nosings



## EasyStair - Kit K

### EasyStair with Landing and Rails Both Sides

- 6mm Flat Plate Stringers
- 3mm Checker Plate Treads
- 600-1190mm Wide Treads
- Up to 3400mm High
- Landing with Checker Plate Top
- Bolt Together Kit
- Fasteners Included
- No Welding Required
- Rails Both Sides
- Hot Dipped Galvanized
- Untreated or Powder Coated Kits Available



Bolt  
Together



Easy to  
Install



No Welding or  
Special Tools





Hot Dipped  
Galvanized



Delivered  
Australia Wide

### FINISH OPTIONS





### Staircase Length

Mezzanine Height	Number of Treads	Staircase Length	Overall Length
Up to 2080mm	10	2530mm	Staircase Length + Landing Length + 70mm
Up to 2280mm	11	2780mm	
Up to 2460mm	12	3030mm	
Up to 2650mm	13	3280mm	
Up to 2840mm	14	3530mm	
Up to 3030mm	15	3780mm	
Up to 3220mm	16	4030mm	
Up to 3400mm	17	4280mm	



### Staircase and Opening Width

Tread Width (A)	Overall Width (B)	Landing Length (C)	(D)	(E)
600mm	800mm	1000mm	850mm	Overall Length + 60mm
700mm	900mm	1000mm	950mm	
800mm	1000mm	1000mm	1050mm	
900mm	1100mm	1250mm	1150mm	
1000mm	1200mm	1250mm	1250mm	
1100mm	1300mm	1250mm	1350mm	
1190mm	1390mm	1500mm	1440mm	

### Optional Nosings





# EASYStair

RANGE



**1800 989 140**

86 Yass Road, Queanbeyan East NSW 2620  
[sales@advantageindustries.com.au](mailto:sales@advantageindustries.com.au)

[advantageindustries.com.au](http://advantageindustries.com.au)

**SIMPLE TO ORDER / DELIVERED FAST / EASY TO INSTALL**